Design Table for Glued Laminated Timber Arches for Vertical and Wind Loads

Values shown are for preliminary design only. A simplified loading system was used for the preliminary design of the arches in these tables. For final design, the designer should use the loads and method of loading required by the applicable building code.

			Span = 30 ft					Span = 35 ft					Span = 40 ft				
Loading	Roof Pitch	Wall Height ft	Width in. (b)	Base in. (d)	L.T. in.	U.T. in.	Crown in.	Width in. (b)	Base in. (d)	L.T. in.	U.T. in.	Crown in.	Width in. (b)	Base in. (d)	L.T. in.	U.T. in.	Crown in.
Vertical Dead Load = 240 plf Horizontal Wind Load = 240 plf	10/12	8 10 12	5 5 5	7½ 7½ 7½	8 ³ / ₄ 10 ³ / ₄ 12 ¹ / ₂	9½ 10½ 11¾	7½ 7½ 7½	5 5 5	7½ 7½ 7½	9½ 10¾ 13¾	10¼ 11½ 12¾	9 8¾ 8½	5 5 5	7½ 7½ 7½	10¼ 12 14¾	11¼ 10¾ 9¾	11¼ 10¾ 9¾
		8	5	7½	93/4	10¾	81/4	5	7½	101/4	11½	101⁄4	5	7½	11½	123/4	123/4
	12/12	10 12	5 5	7½ 7½	10¾ 12¾	12 14	8 7½	5 5	7½ 7½	11¾ 14¼	13 15¾	9½ 8	5 5	7½ 7½	13½ 15¾	15 17½	9¾ 8½
	14/12	8 10 12	5 5 5	7½ 7½ 7½	10½ 12¾ 14¾	11¾ 14 16¼	9½ 8½ 7½	5 5 5	7½ 7½ 7½	11¾ 14¼ 17	13 15¾ 18¾	10¾ 9 7¾	5 5 5	7½ 7½ 7½	13¼ 15¾ 18¾	14 ³ / ₄ 17 ¹ / ₂ 20 ³ / ₄	11¾ 10 8¾
Vertical Dead Load	10/12	8	5 5 5	7½ 7½ 7½ 7½	10 11¼ 13½	11 12½ 15	8½ 8 7½	5 5 5	7½ 7½ 7½ 7½	10 ³ / ₄ 12 ³ / ₄ 15	12 14 16½	10 9½ 8¼	5 5 5	7½ 7½ 7½ 7½	11½ 13½ 16¼	12¾ 15 18	12¾ 10¾ 9
= 320 plf Horizontal Wind Load = 320 plf	12/12	8 10 12	5 5 5	7½ 7½ 7½	11¼ 13¾ 16¼	12½ 15¼ 18	91/4 71/2 71/2	5 5 5	7½ 7½ 7½	12 ³ / ₄ 15 ¹ / ₂ 18 ¹ / ₄	14 ¹ / ₄ 17 ¹ / ₄ 20 ¹ / ₄	10½ 8¾ 7¾	5 5 5	7½ 7½ 7½	14 ³ / ₄ 17 ³ / ₄ 20 ¹ / ₂	16¼ 19¾ 22¾	11 9½ 8¾
	14/12	8 10 12	5 5 5	7½ 7½ 7¾	13½ 16 19	14¾ 17¾ 21	9½ 8¼ 7½	5 5 5	7½ 7½ 8¼	15½ 18¼ 21¾	17¼ 20¼ 24	9 ³ / ₄ 9 ¹ / ₄ 8 ¹ / ₄	5 5 6¾	9 8¾ 10¼	17¼ 20½ 18¼	19 22¾ 20¼	11 ¹ / ₄ 9 ³ / ₄ 10 ¹ / ₄
Vertical Dead Load = 400 plf Horizontal Wind Load = 400 plf	10/12	8 10 12	5 5 5	7½ 7½ 7½	11¼ 13¾ 16½	12½ 15¼ 18¼	9 7½ 7½	5 5 5	7½ 7½ 7¾	12¾ 15¼ 18¼	14 17 20¼	11¼ 9 8	5 5 5	7½ 7½ 8	13¾ 16¾ 20¼	15¼ 18½ 22½	12¼ 10¼ 8¾
	12/12	8 10 12	5 5 5	7½ 7½ 8½	14 17 20	15½ 18¾ 22	8½ 8 7½	5 5 5	7½ 8 9¼	15¾ 19 22½	17½ 21 24¾	10 8½ 8¼	5 5 6¾	9¾ 9½ 10¼	18 21¼ 19	20 23½ 21	10¾ 10¼ 10¼
	14/12	8 10 12	5 5 6¾	7 ³ / ₄ 8 ³ / ₄ 10 ¹ / ₄	15¾ 19½ 18	17½ 21½ 19¾	9½ 8¼ 10¼	5 5 6¾	10½ 10¾ 10¼	18¾ 22½ 20¼	20 ³ / ₄ 24 ³ / ₄ 22 ¹ / ₄	9 ³ / ₄ 8 ³ / ₄ 10 ¹ / ₄	5 6¾ 6¾	12½ 10¼ 10¼	20¾ 19 22½	23 21 24¾	11¼ 10¼ 10¼

L.T. = Lower Tangent, U.T. = Upper Tangent See Table Specifications

Design Table for Glued Laminated Timber Arches for Vertical and Wind Loads (continued)

Values shown are for preliminary design only. A simplified loading system was used for the preliminary design of the arches in these tables. For final design, the designer should use the loads and method of loading required by the applicable building code.

				Spa	an = 45	5 ft		Span = 50 ft					
Loading	Roof Pitch	Wall Height ft	Width in. (b)	Base in. (d)	L.T. in.	U.T. in.	Crown in.	Width in. (b)	Base in. (d)	L.T. in.	U.T. in.	Crown in.	
Vertical	10/12	8	5	7½	11	12	12	5	7½	121/4	13½	13½	
Dead Load = 240 plf		10	5	7½	12½	13½	13½	5	7½	13½	15	123/4	
		12	5	7½	15	15¼	101⁄4	5	7½	15	16½	111⁄4	
		8	5	7½	121/4	13½	13½	5	7½	141/4	15¾	15¾	
Horizontal Wind Load = 240 plf	12/12	10	5	7½	14½	16	11½	5	7½	15¾	17½	121/4	
		12	5	7½	171/4	19	9¾	5	7½	19	21	101/4	
	14/12	8	5	7½	14½	16	131⁄4	5	8	161⁄4	18	14½	
		10	5	7½	17½	19¼	111/4	5	7½	18¾	20¾	12½	
		12	5	7½	201⁄4	22½	9¾	5	7½	22	241/4	11	
Vertical		8	5	7½	13	141⁄4	141⁄4	5	91⁄4	141/4	15¾	15¾	
Dead Load	10/12	10	5	7½	151/4	17	111/4	5	7½	16½	181/4	12½	
		12	5	8½	18	20	93/4	5	8	19½	21½	11	
= 320 plf		8	5	7½	15¾	17½	13	5	9	171/4	19	15	
Horizontal Wind Load = 320 plf	12/12	10	5	71/2	18¾	20¾	111⁄4	5	91/4	20½	223/4	121/4	
		12	5	9	221/4	24½	9¾	5	101/4	18½	20½	10½	
		8	5	10½	18¾	20¾	12¾	5	12½	20¾	23	141/4	
	14/12	10	5	10¾	22½	24¾	11	5	101⁄4	18¼	201/4	12½	
		12	63/4	101/4	201/4	221/4	101⁄4	6¾	101⁄4	21½	23¾	11	
Vertical Dead Load = 400 plf Horizontal Wind Load = 400 plf		8	5	9	15½	171⁄4	13	5	10½	17	18¾	14½	
	10/12	10	5	81/2	18½	20½	111/4	5	101/4	201/4	22½	121/4	
		12	5	8¾	22	241/4	93/4	5	101/4	18	20	11	
		8	5	10¾	19	21	13	5	131⁄4	21½	23¾	13½	
	12/12	10	63/4	101/4	17½	19¼	111/4	6¾	101/4	19½	21½	113/4	
		12	6¾	101⁄4	20½	22¾	101⁄4	6¾	101/4	22½	25	10½	
		8	5	141⁄4	22½	24¾	13	63/4	111⁄4	19½	21½	14½	
	14/12	10	6¾	101/4	20¾	23	111⁄4	63/4	10¾	22½	24¾	12½	
.00 pii		12	6¾	101⁄4	24½	27	101⁄4	6¾	11¼	261/4	29	11	

L.T. = Lower Tangent, U.T. = Upper Tangent See Table Specifications

Table Specifications

- 1. **Preliminary Design Only.** Sizes are for arches manufactured with Southern Pine lumber using a 7'-0" haunch radius and based on the following design criteria:
 - a. Bending design value, $F_b = 2400 \text{ psi}$
 - b. Shear design value, $F_v = 200 \text{ psi}$
 - c. Compression parallel to grain, $F_c = 1700 \text{ psi}$
 - d. Modulus of elasticity, E = 1,700,000 psi
 - e. Tabular design values are increased by 15% for two-month duration of snow or live loads and 33% for wind or earthquake loads.

Design values for other softwood species can be found in AITC 117 – Design.

- 2. Vertical arch legs are laterally supported.
- 3. Vertical dead and live loads are uniformly distributed on the horizontal projection of arch.
- 4. Horizontal wind loads are uniformly distributed on the entire vertical projection of arch.
- 5. Many building codes require special loadings for arches, such as:
 - a. Full unbalanced live loads.
 - b. Simultaneous application of dead, live and wind loads.
 - c. Different components of wind loads to be applied to windward wall, windward slope, leeward wall and leeward slope, depending on arch geometry.

Unique loading requirements, different arch geometries or special deflection controls must be checked by a competent designer. Thrust load must also be considered at the base of arch.

6. Many arch configurations other than those tabulated can be utilized. Additional information on arch design is available from AITC laminators, the *Timber Construction Manual*, and *AITC Technical Note No. 23*.

While these specifications have been prepared in accordance with recognized engineering principles and are based on the most accurate technical data available, they should not be used without competent professional examination and verification of their accuracy, suitability and applicability by a licensed design professional. Any user of this information assumes all risks and liability arising from such use.